WEST Search History for Application 10698762

Creation Date: 2009092115:43

Prior Art Searches

Query	DB	Op.	Plur.	Thes.	Date
((sales or plac$3) near order or business near (logic or instance or process or thread)) with roll$1back	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
(sales or plac$3) near order same roll$1back	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
((sales or plac$3) near order or business near (logic or instance or process or thread)) with interrupt$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
(((sales or plac$3) near order or business near (logic or instance or process or thread)) with interrupt$3) and @ad<20031031	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
((sales or plac$3) near order or business near (logic or instance or process or thread)) and (acknowledg$4 or ack or nack)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
(((sales or plac$3) near order or business near (logic or instance or process or thread)) and (acknowledg$4 or ack or nack)) and @ad<20031031	PGPB, USPT, USOC,	OR	YES		09-21-2009

Query	Databases	Operator	Plurals		Date
	EPAB, JPAB, DWPI, TDBD				
(((sales or plac$3) near order or business near (logic or instance or process or thread)) and (acknowledg$4 or ack or nack) and @ad<20031031) and (resum$6 or re$1start$3 or suspen$4)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
(((sales or plac$3) near order or business near (logic or instance or process or thread)) and (acknowledg$4 or ack or nack) and @ad<20031031 or (resum$6 or re$1start$3 or suspen$4)) and (communication or network) near (fail$4 or error or fault or problem)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
(((sales or plac$3) near order or business near (logic or instance or process or thread)) and (acknowledg$4 or ack or nack) and @ad<20031031 and (resum$6 or re$1start$3 or suspen$4) and (communication or network) near (fail$4 or error or fault or problem)) and (705/???.ccls. or 709/???.ccls. or 707/???.ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
((sales or plac$3) near order or business near (logic or instance or process or thread)) with (back$1up or check$1point$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
(((sales or plac$3) near order or business near (logic or instance or process or thread)) with (back$1up or check$1point$3)) and @ad<20031031	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
business near (logic or instance or application or process) with (suspen$4 or re$1start$3 or resum$5 or state)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009

business near (logic or instance or application or process) with (suspen$4 or re$1start$3 or resum$5)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
(business near (logic or instance or application or process) with (suspen$4 or re$1start$3 or resum$5)) and (plac$3 near order or sales near order or seller and buyer)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
(business near (logic or instance or application or process) with (suspen$4 or re$1start$3 or resum$5)) and (plac$3 near order or sales near order or (seller and buyer))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
time and (business near (logic or instance or application or process) with (suspen$4 or re$1start$3 or resum$5))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
(time and business near (logic or instance or application or process) with (suspen$4 or re$1start$3 or resum$5)) and 705/???.ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
business with (suspen$4 or re$1start$3 or resum$5) with time	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
(business with (suspen$4 or re$1start$3 or resum$5) with time) and (plac$3 near order or sales near order or (seller and buyer))	PGPB, USPT, USOC, EPAB,	OR	YES		09-21-2009

	JPAB, DWPI, TDBD				
(suspen$4 or re$1start$3 or resum$5) with (processing or execution or process) with (sav$3 or stor$3) with (period$5 or time)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
((suspen$4 or re$1start$3 or resum$5) with (processing or execution or process) with (sav$3 or stor$3) with (period$5 or time)) and (plac$3 near order or sales near order or (seller and buyer))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
(sav$3 or stor$3) with (period$5 or time)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
(sav$3 or stor$3) with (state or instance) with (period$5 or time)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
((sav$3 or stor$3) with (state or instance) with (period$5 or time)) and (705/???.ccls. or business near (logic or instance or application or process))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
((sav$3 or stor$3) with (state or instance) with (period$5 or time) and (705/???.ccls. or business near (logic or instance or application or process))) and @ad<20031031	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
		OR	YES		09-21-2009

((sav$3 or stor$3) with (state or instance) with (period$5 or time) and (705/???.ccls. or business near (logic or instance or application or process)) and @ad<20031031) and (plac$3 near order or sales near order or (seller and buyer))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD			
(suspen$4 or re$1start$3 or resum$5) with (plac$3 near order or sales near order or (seller and buyer))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES	09-21-2009
(sav$3 or stor$3) with (predetermined or period$5)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES	09-21-2009
((sav$3 or stor$3) with (predetermined or period$5)) and ((suspen$4 or re$1start$3 or resum$5) with (plac$3 near order or sales near order or (seller and buyer)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES	09-21-2009
(709/213 |709/214).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES	09-21-2009
(719/312 |719/313 |719/314 |719/318).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES	09-21-2009
(714/25 |714/47 |714/48).ccls.	PGPB, USPT, USOC, EPAB,	OR	YES	09-21-2009

	JPAB, DWPI, TDBD				
((714/25 |714/47 |714/48).ccls.) or ((719/312 |719/313 |719/314 |719/318).ccls.) or ((709/213 |709/214).ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
"MEHTA-BIMAL"!	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
"MEHTA-BIMAL"!	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
"MAYBEE-PAUL"!	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
"GRABER-LEE"!	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
"DADJOMOV-ALEXANDER"!	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
"ELIEN-JEAN-EMILE"!		OR	YES		09-21-2009

	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
"ELIEN-JEAN-EMILE"!	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
"ELIEN-JEAN-EMILE"!	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
"ELIEN-JEAN-EMILE"!	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
"MUSAYEV-ELDAR-AZEROVICH"!	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
"KLEIN-JOHANNES"!	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
"SAHA-SANJIB"!	PGPB, USPT, USOC, EPAB,	OR	YES		09-21-2009

	JPAB, DWPI, TDBD				
"SMITH-KEVIN-BOWEN"!	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
(xlang and (catch or try)).ab, ti.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
(705/26 l705/37).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
((705/26 l705/37).ccls.) or ((714/25 l714/47 l714/48).ccls. or (719/312 l719/313 l719/314 l719/318).ccls. or (709/213 l709/214).ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
(xlang and (catch$1try or catch near block))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
((asynchronous$2 or synchronous$3) and (catch$1try or catch near block)).ab, ti.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
		OR	YES		09-21-2009

((queues or buffers or synchronous$3) and (catch$1try or catch near block)).ab, ti.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
((queues or buffers or asynchronous$2 or synchronous$3) and (catch$1try or catch near block))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
(((queues or buffers or asynchronous$2 or synchronous$3) and (catch$1try or catch near block))) and @ad<20031031	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
(request or message or response) with (success or fail$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
((request or message or response) with (success or fail$3)) and ((catch$1try or catch near block try near block or exception near handl$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
(asynchronous$2 or synchronous$3) and ((request or message or response) with (success or fail$3) and ((catch$1try or catch near block try near block or exception near handl$3)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
((asynchronous$2 or synchronous$3) and (request or message or response) with (success or fail$3) and ((catch$1try or catch near block try near block or exception near handl$3))) and @ad<20031031	PGPB, USPT, USOC, EPAB,	OR	YES		09-21-2009

	JPAB, DWPI, TDBD				
((asynchronous$2 or synchronous$3) and (request or message or response) with (success or fail$3) and ((catch$1try or catch near block try near block or exception near handl$3)) and @ad<20031031) and ((705/26 l705/37).ccls. or (714/25 l714/47 l714/48).ccls. or (719/312 l719/313 l719/314 l719/318).ccls. or (709/213 l709/214).ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
(asynchronous$2 and synchronous$3) and ((request or message or response) with (success or fail$3) and ((catch$1try or catch near block try near block or exception near handl$3)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
((asynchronous$2 and synchronous$3) and (request or message or response) with (success or fail$3) and ((catch$1try or catch near block try near block or exception near handl$3))) (request or message or response) near (success or fail$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
((asynchronous$2 and synchronous$3) and (request or message or response) with (success or fail$3) and ((catch$1try or catch near block try near block or exception near handl$3))) and (request or message or response) near (success or fail$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
((asynchronous$2 and synchronous$3) and (request or message or response) with (success or fail$3) and ((catch$1try or catch near block try near block or exception near handl$3)) and (request or message or response) near (success or fail$3)) and @ad<20031031	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
determin$3 with (success or fail$3) with (request or message)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
		OR	YES		09-21-2009

determin$3 with (success or fail$3) with (response or request or message)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
(determin$3 with (success or fail$3) with (response or request or message)) and (suspen$4 and (resum$6 or re$1start$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
(determin$3 with (success or fail$3) with (response or request or message) and (suspen$4 and (resum$6 or re$1start$3))) and @ad<20031031	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
(asynchronous$2 and synchronous$3) and (determin$3 with (success or fail$3) with (response or request or message) and (suspen$4 and (resum$6 or re$1start$3)) and @ad<20031031)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
(success or fail$3) with (response or request or message or instance or process) with (suspen$4 and (resum$6 or re$1start$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
((success or fail$3) with (response or request or message or instance or process) with (suspen$4 and (resum$6 or re$1start$3))) and ((catch$1try or catch near block or try near block or exception near handl$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
((success or fail$3) with (response or request or message or instance or process) with (suspen$4 and (resum$6 or re$1start$3))) and 705/???.ccls.	PGPB, USPT, USOC, EPAB,	OR	YES		09-21-2009

	JPAB, DWPI, TDBD				
((success or fail$3) with (response or request or message or instance or process) with (suspen$4 and (resum$6 or re$1start$3))) and (asynchronous$2 and synchronous$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
seller and buyer	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
(seller and buyer) and ((catch$1try or catch near block or try near block or exception near handl$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
(seller and buyer and ((catch$1try or catch near block or try near block or exception near handl$3))) and (asynchronous$2 and synchronous$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
seller and buyer and (catch$1try or catch near block or try near block)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
purchase near order and (catch$1try or catch near block or try near block)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
(success or fail$3) with purchase near order		OR	YES		09-21-2009

	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
((success or fail$3) with purchase near order) and @ad<20031031	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
business near process with (catch$1try or catch near block or try near block)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
business near process same (catch$1try or catch near block or try near block)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
business near process and (catch$1try or catch near block or try near block)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
business near instace with (catch$1try or catch near block or try near block)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
business near instance with (catch$1try or catch near block or try near block)	PGPB, USPT, USOC, EPAB,	OR	YES		09-21-2009

	JPAB, DWPI, TDBD				
business near instance same (catch$1try or catch near block or try near block)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
business near instance and (catch$1try or catch near block or try near block)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
business near instance with (success or fail$3) with (response or request or message or instance or process)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
business near process with (success or fail$3) with (response or request or message or instance or process)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
(business near process with (success or fail$3) with (response or request or message or instance or process)) and (asynchronous$2 and synchronous$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
business near (instance or process) with (suspen$4 and (resum$6 or re$1start$3)) with (success or fail$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
		OR	YES		09-21-2009

business near (instance or process) with (suspen$4 and (resum$6 or re$1start$3)) same (success or fail$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
business near (instance or process) with ((suspen$4 and (resum$6 or re$1start$3)) or (success or fail$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
(business near (instance or process) with ((suspen$4 and (resum$6 or re$1start$3)) or (success or fail$3))) and @ad<20031031	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
(business near (instance or process) with ((suspen$4 and (resum$6 or re$1start$3)) or (success or fail$3)) and @ad<20031031) and (exception near handl$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
retailer and supplier and (exception near handl$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
(retailer and supplier and (exception near handl$3)) and (suspen$4 and (resum$6 or re$1start$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
(instance or process) with (suspen$4 and (resum$6 or re$1start$3))	PGPB, USPT, USOC, EPAB,	OR	YES		09-21-2009

	JPAB, DWPI, TDBD				
((instance or process) with (suspen$4 and (resum$6 or re$1start$3))) and @ad<20031031	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
(instance) with (suspen$4 and (resum$6 or re$1start$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
((instance) with (suspen$4 and (resum$6 or re$1start$3))) and @ad<20031031	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
((instance) with (suspen$4 and (resum$6 or re$1start$3)) and @ad<20031031) and (exception near handl$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
business near (thread) with ((suspen$4 and (resum$6 or re$1start$3)) or (success or fail$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
business near (instance or process or thread) same (exception or try or catch)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
		OR	YES		09-21-2009

(business near (instance or process or thread) same (exception or try or catch)) and @ad<20031031	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
(business near (instance or process or thread) same (exception or try or catch) and @ad<20031031) and (asynchronous$2 or synchronous$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
XLANG with (buyer or purchase near order or seller or errors or exceptions or catch$1try or catch near block or try near block)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
XLANG and (buyer or purchase near order or seller or errors or exceptions or catch$1try or catch near block or try near block)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
(XLANG and (buyer or purchase near order or seller or errors or exceptions or catch$1try or catch near block or try near block)) and @ad<20031031	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
MEHTA near BIMAL and error near compenstation	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
MEHTA near BIMAL and error	PGPB, USPT, USOC, EPAB,	OR	YES		09-21-2009

	JPAB, DWPI, TDBD				
(fault$3 or error) with (asynchronous and synchronous)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
(sales near order or buyer or purchase near order or seller or errors or exceptions or catch$1try or catch near block or try near block)and ((fault$3 or error) with (asynchronous and synchronous))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
((sales near order or buyer or purchase near order or seller or errors or exceptions or catch$1try or catch near block or try near block)and (fault$3 or error) with (asynchronous and synchronous)) and (suspen$4 and (resum$6 or re$1start$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
((sales near order or buyer or purchase near order or seller or errors or exceptions or catch$1try or catch near block or try near block)and (fault$3 or error) with (asynchronous and synchronous) and (suspen$4 and (resum$6 or re$1start$3))) and @ad<20031031	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
6918053.pn.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
6625602.pn.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
		OR	YES		09-21-2009

sales near order wtih (error or fault or exception or catch$1try or catch near block or try near block)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
sales near order with (error or fault or exception or catch$1try or catch near block or try near block)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
sales near order and (exception near handl$3 or catch$1try or catch near block or try near block)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
(sales near order and (exception near handl$3 or catch$1try or catch near block or try near block)) and @ad<20031031	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
business near logic with (error or fault or exception or catch$1try or catch near block or try near block)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
(business near logic with (error or fault or exception or catch$1try or catch near block or try near block)) and @ad<20031031	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
business near (logic or instance or process or thread) with (monitor$3 or track$3)	PGPB, USPT, USOC, EPAB,	OR	YES		09-21-2009

	JPAB, DWPI, TDBD				
(business near (logic or instance or process or thread) with (monitor$3 or track$3)) and (error or fault or exception or catch$1try or catch near block or try near block)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
(business near (logic or instance or process or thread) with (monitor$3 or track$3) and (error or fault or exception or catch$1try or catch near block or try near block)) and (asynchronous and synchronous)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
(business near (logic or instance or process or thread) with (monitor$3 or track$3) and (error or fault or exception or catch$1try or catch near block or try near block) and (asynchronous and synchronous)) and @ad<20031031	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
business near (logic or instance or process or thread) with (monitor$3 or track$3) same (error or fault or exception or catch$1try or catch near block or try near block)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009
(business near (logic or instance or process or thread) with (monitor$3 or track$3) same (error or fault or exception or catch$1try or catch near block or try near block)) and @ad<20031031	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-21-2009